

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Fig. 1





Fig. 2A






Fig. 2A(1)

Welcome to the
 Interactive Design Calendar for the Otho Eye

Are you currently using Otho Eye?

☐ Yes, I am

☐ No, I am not

USE the 119 active dosages per calendar

Calendar Dates	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
16	17	18	19	20	21	22																									
21	22	23	24	25	26	27	28	29																							
30	31	1	2	3	4	5	6																								
7	8	9	10	11	12	13																									
14	15	16	17	18	19	20																									
21	22	23	24	25	26	27																									
28	29	30	31	1	2	3																									
4	5	6	7	8	9	10																									
11	12	13	14	15	16	17																									
18	19	20	21	22	23	24																									

return to main screen

Next Day's Visual Aid

the Otho Eye[®] digital patient information

Fig. 2A(2)

Use the information below to select your Patch Change Day.

This is the first time you have used Ortho Evra.

To reduce your chances of pregnancy, you must begin your first week on the first day of your menstrual cycle, or you must Patch Change Day 1 on the first Sunday after the start of your menstrual cycle to your weekly Patch Change Day. However, you will need to use backup contraception for the first week.


Please choose your Patch Change Day:

☐ The first day of your period

☐ The first Sunday after the start of your period

10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18

Fig. 2A(3)



90

Fig. 2A(4)





Fig. 2B







Fig. 2B(1)

[illegible]

Fig. 2C







Fig. 2C(1)







Fig 2C(3)

Fig. 2D





1. To put an Orlon Even™ patch on your skin, you must remove it from its pouch. Open the pouch by tearing off the top edge and one side edge. Peel the pouch apart, and press it flat.

2. Peel the patch and its clear plastic covering out of the pouch. Peel away half of the clear plastic, but do not touch the sticky part of the patch with your fingers. Put the sticky side of the patch on clean, dry skin. Remove the other half of the clear plastic.

3. Press firmly on the patch with the palm of your hand for

• 1-8 80 111 111

di prima mano e diretta per via telematica.

QUI SWEL

100



2. Peel the patch and its clear plastic covering out of the pouch. Peel away half of the clear plastic, but do not touch the sticky part of the patch with your fingers. Put the sticky side of the patch on clean, dry skin. Remove the other half of the clear plastic.

3. Press firmly on the patch with the palm of your hand for 10 seconds.

4. Run your fingers around the edges of the patch to make sure they stick well. Check your patch every day to make sure all the edges are sticking.

Line Office digital haben mangelnd

Fig. 3